



January 1, 2015

Thank you for this opportunity to quote Caterpillar products for your business needs. We are pleased to quote the following for your purchase consideration.

One (1) New CATERPILLAR INC Model: 836K Compactors with all standard equipment in addition to the additional specifications listed below:

STANDARD EQUIPMENT

CONSIST NOTE - The standard equipment list includes all - no-charge (NC) items from the Mandatory - Attachment section.

POWERTRAIN - Advanced Productivity Electronic Control - Shifting (APECS) - Air to air aftercooler - Brakes, full hyd., enclosed, wet - multiple disc service brakes - Cat clean emission module (insulated) - Electro hydraulic parking brake - Engine, Cat C18 w/ACERT Technology - US EPA T4/EU Stage IV Technology, - Fuel priming pump (electric) - Fuel to air cooler - Ground level engine shutoff - Guard, (3 pc) transmission - Heat Shield, turbo and exhaust manifold - Hydraulically driven demand fan - Integrated braking - Radiator, Next Generation Modular (NGMR) - Separated cooling system - Starting aid (ether) automatic - Throttle lock - Torque converter with lock up clutch - (LUC) - Turbine precleaner, engine air intake - Transmission, planetary, with 2F/2R - speed range control - Underhood ventilation system

ELECTRICAL - Alarm, back-up - Alternator (150-amp) - Batteries, maintenance-free (4-1000CCA) - Converter, 10/15 amp, 24V to 12V - Lighting system, halogen (front and rear) - lighting, access stairway - Starter, electric (heavy duty) - Starter lockout (ground level) - Starting receptacle for emergency start - Transmission lockout (ground level)

OPERATOR ENVIRONMENT - Air conditioner - Cab, sound-suppressed pressurized, - Internal four-post rollover protective - structure (ROPS/FOPS). Radio ready for - (entertainment) includes antenna, - speakers, converter (12-volt 10-15 - amp) 12-volt power port for mobile - phone or laptop connection - Camera, rear vision - Coat and hard hat hooks - Flip-up armrest - Heater and defroster - Horn, electric - Hydraulic controls (floor mounted) - Implement hydraulic lockout - Laminated glass - Light, (dome) cab - Lunchbox and beverage holders - Instrumentation, Gauges: - DEF fluid level - Engine coolant temperature - Fuel level - Hydraulic oil temperature - Speedometer/Tachometer - Torque converter temperature - Instrumentation, Warning Indicators: - Action alert system, three category - Axle/Brake oil temp. (front) - Brake oil pressure - Electrical system, low voltage - Engine failure malfunction alert and - action lamp - Mirrors, Rearview (externally mounted) - Parking brake status - Radio, CB (ready) - Seat, Cat Comfort (cloth) air suspension - Seat belt, retractable, 76mm (3") wide - STIC Control system with steering lock - Sun visor, front - Tinted glass - Transmission gear (indicator) - Vital Information Management System - (VIMS) with graphical information - display: external data port, - customizable operator profiles - Wet-Arm Wipers/Washers (front and rear) - Intermittent Wipers (front and rear)

TIRES, RIMS, AND WHEELS - Wheels, Paddle and Plus Tip

GUARDS - Guards, axle (front and rear) - Guard, cab window - Guards, crankcase and powertrain, - hydraulically powered - Guard, rear fan and grill

BLADES - Bulldozer arrangement is included in the - standard equipment. Bulldozer blades - are optional.

FLUIDS - Antifreeze, premixed 50% concentration - of extended life coolant with freeze - protection to -34C (-29F)

OTHER STANDARD EQUIPMENT - Auto Blade Positioner (ABP) - Counterweight - Demand fan/swing out (hyd. reversible) - Doors, service access (locking) - Ecology drains for engine, radiator, - hydraulic tank - Electronic clutch pressure control and - remote mounted pressure taps - Emergency platform egress - Engine, crankcase, 250 hour interval - with CJ-4 oil - Fuel tank, 793 L (210 gal) - Hitch, drawbar with pin - Hoses, Cat XT(TM) - Hydraulic oil cooler

- Hydraulic, steering and brake - filtration/screening system - Oil sampling valves - Product Link - Stairways, fixed-L/R (rear access) - Steering, load sensing - Vandalism protection caplocks - Venturi stack

MACHINE SPECIFICATIONS

Description	Reference No
836K LANDFILL COMPACTOR DCA1	435-1210
Available for ADSD-N, ANZP and CJL.	
Includes:	
347-5200 836K LANDFILL COMPACTOR	347-5200
435-1131 ENVIRONMENT PKG, DRY	435-1131
Includes:	
-Precleaner, Engine (Dual Stage)	
-Precleaner, Cab Air (Powered)	
-Striker Bars, Standard	
435-1171 FEATURE PKG,DELUXE COLD (120V)	435-1171
Includes:	
-Mirrors, Heated	
-Seat, Heated and Ventilated	
-Fuel Lines, Heated	
-Heater, Engine Coolant (120V)	
110/120-volt external power source required	
-Starting, Cold Weather	
Includes one additional starter and two additional batteries.	
435-1211 SERVICE PKG, DELUXE	435-1211
Includes:	
-Fuel Tank, Standard Fill	
-Guard Actuation, Premium (4-Valve)	
-Stairways, Swingout	
-Oil Change System, High Speed	
368-9306 AXLES, NO-SPIN FRONT and REAR	368-9306
373-9361 HYDRAULICS	373-9361
436-2290 HORN, ELECTRIC (STD)	436-2290
345-0539 LIGHTS, STANDARD	345-0539
375-4691 CAB GLASS, RUBBER MOUNTED	375-4691
381-4540 SEAT BELT, 3" WIDE, MINDER	381-4540
445-9323 PRODUCT LINK, CELLULAR PL522	445-9323
347-5115 NO SOUND SUPPRESSION	347-5115
376-7129 LIGHT, WARNING (LED STROBE)	376-7129

Description	Reference No
378-8646 MIRROR, INTERNAL (PANORAMIC)	378-8646
BLADE, FULL-U	315-7879
DECALS, ANSI	347-5065
WHEELS, PADDLE and PLUS TIP	378-0419

List Price Total	\$1,176,928
-------------------------	--------------------

Minimum BuyBoard Discount 13% off List Price.

WARRANTY

Standard Warranty: 12 Month/Unlimited Hours Total Machine

Please contact your local Holt Cat Sales Representative for additional pricing and quoting. This price does not include freight from Caterpillar to Holt Cat, delivery to your location and extended warranty that may be available.